

KLEIN®

Sistema de puertas correderas con detención suave
Sliding doors with soft closing system
Sistema de portas de correr com fecho suave
Sistema de portes corredisses amb detenció suau



UNIKGLASS+

Interiorismo Vidrio
Interior Design Glass
Design de Interiores de Vidro
Interiorisme Vidre



UNIKGLASS+



BRONZE



BLACK



KBS



KSC



SILVER

ESP

Unikglass+: un perfil de sobrio diseño guía una única hoja móvil de vidrio. Puede esconderse en falso techo para un efecto absolutamente minimalista. Es un sistema libre de marco y sin barrera arquitectónica en el pavimento. Permite un montaje fácil, totalmente intuitivo.

- Perfil visto u oculto, instalado a pared, techo y falso techo, con o sin dintel.
- Perfil especial para falso techo, con aletas escondidas para una máxima integración arquitectónica.
- Nueva mordaza: centraliza todas las prestaciones del sistema: regulación en altura, activación del mecanismo de frenado, y dispositivo antidescabalgamiento.
- Montaje rápido e intuitivo:
 - Acceso directo a la mordaza.
 - Sistema empotrado a falso techo: montaje en dos fases para una instalación eficiente.
- Vidrio de 8, 10 o 12 mm, hasta 150 kg por hoja.
- Regulación de la altura de +/- 3 mm.*
- Perfil de aluminio anodizado Silver, Negro y Bronce.
- Deslizamiento silencioso con mínimo esfuerzo.
- Garantía KLEIN® 5 años.
- Opciones de frenado de la puerta:
 - **KSC, Klein Soft Closing:** Detención suave controlada.
 - **KBS, Klein Brake System:** Tope con freno amortiguador. De serie en toda la gama.*

Sistemas testados hasta 100.000 ciclos según la norma EN1527.

ENG

Unikglass+: a discrete profile guides a single mobile glass pane. It can be hidden in a drop ceiling for a completely minimalist effect. This system does not have any tracks or other architectural barriers on the floor. It allows for an easy and completely intuitive assembly.

- Exposed or hidden profile, installed on a wall, ceiling, or in a drop ceiling, with or without a lintel.
- Special profile with hidden dropped ceiling wings for maximum architectural integration.
- A new clamp which centralises all features of the system: height adjustment, activation of the braking mechanism, and anti-derailing device.
- Fast and intuitive assembly for efficient implementation:
 - Direct access to the clamp.
 - System embedded in drop ceiling: two-phase assembly for easy installation.
- 8, 10 or 12 mm glass, weighing up to 150 kg per pane.
- Height adjustment of +/- 3 mm.*
- Silver, Black and Bronze anodized aluminum profiles.
- Silent and effortless sliding.
- Five-year KLEIN® warranty.
- Self closing options:
 - **KSC, Klein Soft Closing:** Smooth, controlled closing.
 - **KBS, Klein Brake System:** Stop with damper brake. Standard for the entire line.*

Systems tested up to 100,000 cycles as per standard EN1527.

*Válido para los productos UNIKGLASS+ 50 y 100 / Valid for UNIKGLASS+ 50 and 100

POR

Unikglass+: um perfil de design sóbrio orienta uma única folha móvel de vidro. Pode esconder-se num teto falso para um efeito totalmente minimalista. É um sistema livre de moldura e sem barreiras arquitetónicas no pavimento. Permite uma montagem fácil, totalmente intuitiva.

- Perfil visível ou oculto, instalado na parede, no teto ou em teto falso, com ou sem dintel.
- Perfil especial para teto falso, com aletas escondidas para uma máxima integração arquitetónica.
- Novo grampo: centraliza todos os recursos do sistema: regulação em altura, ativação do mecanismo de travagem e dispositivo antiderrapante
- Montagem rápida e intuitiva:
- Acesso direto ao grampo.
- Sistema embutido em teto falso: montagem em duas fases para uma instalação eficiente.
- Vidro de 8, 10 ou 12 mm, até 150 kg por folha.
- Regulação da altura de +/- 3 mm.*
- Perfil de alumínio anodizado Silver, Preto e Bronze.
- Deslize silencioso com um mínimo esforço.
- Garantia KLEIN® 5 anos.
- Opções de travagem da porta:
 - **KSC, Klein Soft Closing:** Fecho suave e controlado.
 - **KBS, Klein Brake System:** Limitador com travão de amortização. De série em toda a gama.*

Sistemas testados até 100.000 ciclos, conforme a norma EN1527.

*Válido para produtos UNIKGLASS+ 50 e 100 /
Vàlid pels productes UNIKGLASS+ 50 i 100

CAT


Unikglass+: un perfil de disseny sobri guia una única fulla mòbil de vidre. Pot amagar-se al sostre fals per a un efecte absolutament minimalista. És un sistema sense marc i sense barrera arquitectònica al paviment. Permet un muntatge fàcil, totalment intuïtiu.

- Perfil vist o ocult, instal·lat a paret, sostre i sostre fals, amb o sense llinda.
- Perfil especial per a sostre fals, amb aletes amagades per a una màxima integració arquitectònica.
- Nova mordassa: centralitza totes les prestacions del sistema: regulació en alçada, activació del mecanisme de frenada i dispositiu antidescaivament.
- Muntatge ràpid i intuïtiu per a una execució eficient:
 - Accés directe a la mordassa.
 - Sistema encastat al sostre fals: muntatge en dues fases per a una instal·lació fàcil.
- Vidre de 8, 10 o 12 mm, fins a 150 kg per fulla.
- Regulació de l'alçada de +/- 3 mm.*
- Perfil d'alumini anoditzat Silver, Negre i Bronze.
- Lliscament silencios amb un mínim d'esforç.
- Garantia KLEIN® de 5 anys.
- Opcions de frenada de la porta:
 - **KSC, Klein Soft Closing:** Detenció suau controlada.
 - **KBS, Klein Brake System:** Topall amb fre amortidor. De sèrie en tota la gamma.*


Sistemes provats fins a 100.000 cicles segons la norma EN1527.

Visto / Exposed / À vista / Vist

PARED / WALL / PAREDE / PARET



TECHO / CEILING / TETO / SOSTRE




UNIKGLASS+ 50/100


UNIKGLASS+ 150

UNIKGLASS+ 50/100


UNIKGLASS+ 150





UNIKGLASS+ 50



UNIKGLASS+ 100



UNIKGLASS+ 150




- **KSC** Unikglass+ 50/100V ≥ 800 mm (31 1/2")
- **KSC** Unikglass+ 150 V ≥ 1000 mm (39")


Empotrado / Recessed / Embutido / Encastat

CON DINTEL / WITH LINTEL / COM DINTEL / AMB LLINDA


SIN DINTEL / WITHOUT LINTEL / SEM DINTEL / SENSE LLINDA



UNIKGLASS+ 50/100



$Y3 = H3 + 16 \text{ mm (5/8")}$




KSC Unikglass+ 50/100 V ≥ 800 mm (31 1/2")

Empotrado / Recessed / Embutido / Encastat


CON DINTEL / WITH LINTEL / COM DINTEL / AMB LLINDA

SIN DINTEL / WITHOUT LINTEL / SEM DINTEL / SENSE LLINDA

UNIKGLASS+ 150




$Y3 = H3 + 27 \text{ mm (1 1/16")}$



KSC Unikglass+ 150 KSC V ≥ 1000 mm (39") KSC

Especificaciones sin dintel / Without lintel specifications / Especificacions sense llinda / Especificações sem dintel



En las instalaciones Unikglass+ Sin Dintel la galería del perfil a falso techo medirá la mitad del perfil principal.

In Without Lintel Unikglass+ installations the false ceiling profile gallery will measure half of the main profile.

En les instal·lacions Unikglass+ Sense Llinda la galeria del perfil a fals sostre mesurarà la meitat del perfil principal.

Nas instalações Unikglass+ Sem Dintel a medida da Galeria do perfil para tecto falso será a metade do perfil principal.

1- Galeria / Gallery / Galeria / Galeria

2- Perfil principal / Main track / Perfil principal / Perfil principal

REFERENCIAS / REFERENCES / REFERÊNCIAS / REFERÈNCIES

ESP

UNIKGLASS+ 50 SILVER			
Ref.	Descripción	U.	Img.
2302	PFS. UNIKGLASS+ 50 PARED SILVER 2m	1	A
2303	PFS. UNIKGLASS+ 50 PARED SILVER 3m	1	A
2304	PFS. UNIKGLASS+ 50 PARED SILVER 4m	1	A
2306	PFS. UNIKGLASS+ 50 PARED SILVER 6m	1	A
2300	JGO. ACC.UNIKGLASS+ 50 KSC V8-10 SILVER	1	F
2310	JGO. ACC.UNIKGLASS+ 50 KBS V8-10 SILVER	1	G
2312	PFS. UNIKGLASS+ 50 TECHO SILVER 2m	1	A
2313	PFS. UNIKGLASS+ 50 TECHO SILVER 3m	1	A
2314	PFS. UNIKGLASS+ 50 TECHO SILVER 4m	1	A
2316	PFS. UNIKGLASS+ 50 TECHO SILVER 6m	1	A
2382	PFS. FALSO TECHO UNIKGLASS+ CON DINTEL 2m	1	B
2383	PFS. FALSO TECHO UNIKGLASS+ CON DINTEL 3m	1	B
2384	PFS. FALSO TECHO UNIKGLASS+ CON DINTEL 4m	1	B
2386	PFS. FALSO TECHO UNIKGLASS+ CON DINTEL 6m	1	B
2392	PFS. FALSO TECHO UNIKGLASS+ SIN DINTEL 2m	1	C
2393	PFS. FALSO TECHO UNIKGLASS+ SIN DINTEL 3m	1	C
2394	PFS. FALSO TECHO UNIKGLASS+ SIN DINTEL 4m	1	C
2396	PFS. FALSO TECHO UNIKGLASS+ SIN DINTEL 6m	1	C

UNIKGLASS+ 50 BRONCE			
Ref.	Descripción	U.	Img.
2342	PFS. UNIKGLASS+ 50 PARED BRONCE 2m	1	D
2343	PFS. UNIKGLASS+ 50 PARED BRONCE 3m	1	D
2344	PFS. UNIKGLASS+ 50 PARED BRONCE 4m	1	D
2346	PFS. UNIKGLASS+ 50 PARED BRONCE 6m	1	D
2341	PFS. UNIKGLASS+ 50 TECHO BRONCE 2m	1	D
2345	PFS. UNIKGLASS+ 50 TECHO BRONCE 3m	1	D
2347	PFS. UNIKGLASS+ 50 TECHO BRONCE 4m	1	D
2348	PFS. UNIKGLASS+ 50 TECHO BRONCE 6m	1	D
2320	JGO. ACC. UNIKGLASS+ 50 KSC V8-10 BRONCE	1	J
2340	JGO. ACC. UNIKGLASS+ 50 KBS V8-10 BRONCE	1	K

UNIKGLASS+ 50 NEGRO			
Ref.	Descripción	U.	Img.
2352	PFS. UNIKGLASS+ 50 PARED NEGRO 2m	1	E
2353	PFS. UNIKGLASS+ 50 PARED NEGRO 3m	1	E
2354	PFS. UNIKGLASS+ 50 PARED NEGRO 4m	1	E
2356	PFS. UNIKGLASS+ 50 PARED NEGRO 6m	1	E
2351	PFS. UNIKGLASS+ 50 TECHO NEGRO 2m	1	E
2355	PFS. UNIKGLASS+ 50 TECHO NEGRO 3m	1	E
2357	PFS. UNIKGLASS+ 50 TECHO NEGRO 4m	1	E
2358	PFS. UNIKGLASS+ 50 TECHO NEGRO 6m	1	E
2330	JGO. ACC. UNIKGLASS+ 50 KSC V8-10 NEGRO	1	N
2370	JGO. ACC. UNIKGLASS+ 50 KBS V8-10 NEGRO	1	O

UNIKGLASS+ 100/150 SILVER			
Ref.	Descripción	U.	Img.
2332	PFS. UNIKGLASS+ 100/150 TECHO SILVER 2m	1	A
2333	PFS. UNIKGLASS+ 100/150 TECHO SILVER 3m	1	A
2334	PFS. UNIKGLASS+ 100/150 TECHO SILVER 4m	1	A
2336	PFS. UNIKGLASS+ 100/150 TECHO SILVER 6m	1	A
2350	JGO. ACC.UNIKGLASS+ 100 KSC V10-12 SILVER	1	H
2360	JGO. ACC.UNIKGLASS+ 100 KBS V10-12 SILVER	1	I
2550	JGO. ACC.UNIKGLASS+ 150 KSC V12 SILVER	1	R
2322	PFS. UNIKGLASS+ 100/150 PARED SILVER 2m	1	A
2323	PFS. UNIKGLASS+ 100/150 PARED SILVER 3m	1	A
2324	PFS. UNIKGLASS+ 100/150 PARED SILVER 4m	1	A
2326	PFS. UNIKGLASS+ 100/150 PARED SILVER 6m	1	A
2382	PFS. FALSO TECHO UNIKGLASS+ CON DINTEL 2m	1	B
2383	PFS. FALSO TECHO UNIKGLASS+ CON DINTEL 3m	1	B
2384	PFS. FALSO TECHO UNIKGLASS+ CON DINTEL 4m	1	B
2386	PFS. FALSO TECHO UNIKGLASS+ CON DINTEL 6m	1	B
2392	PFS. FALSO TECHO UNIKGLASS+ SIN DINTEL 2m	1	C
2393	PFS. FALSO TECHO UNIKGLASS+ SIN DINTEL 3m	1	C
2394	PFS. FALSO TECHO UNIKGLASS+ SIN DINTEL 4m	1	C
2396	PFS. FALSO TECHO UNIKGLASS+ SIN DINTEL 6m	1	C

UNIKGLASS+ 100/150 BRONCE			
Ref.	Descripción	U.	Img.
2362	PFS. UNIKGLASS+ 100/150 PARED BRONCE 2m	1	D
2363	PFS. UNIKGLASS+ 100/150 PARED BRONCE 3m	1	D
2364	PFS. UNIKGLASS+ 100/150 PARED BRONCE 4m	1	D
2366	PFS. UNIKGLASS+ 100/150 PARED BRONCE 6m	1	D
2361	PFS. UNIKGLASS+ 100/150 TECHO BRONCE 2m	1	D
2365	PFS. UNIKGLASS+ 100/150 TECHO BRONCE 3m	1	D
2367	PFS. UNIKGLASS+ 100/150 TECHO BRONCE 4m	1	D
2368	PFS. UNIKGLASS+ 100/150 TECHO BRONCE 6m	1	D
2380	JGO. ACC. UNIKGLASS+ 100 KSC V10-12 BRONCE	1	L
2381	JGO. ACC. UNIKGLASS+ 100 KBS V10-12 BRONCE	1	M
2580	JGO. ACC.UNIKGLASS+ 150 KSC V12 BRONCE	1	S

UNIKGLASS+ 100/150 NEGRO			
Ref.	Descripción	U.	Img.
2372	PFS. UNIKGLASS+ 100/150 PARED NEGRO 2m	1	E
2373	PFS. UNIKGLASS+ 100/150 PARED NEGRO 3m	1	E
2374	PFS. UNIKGLASS+ 100/150 PARED NEGRO 4m	1	E
2376	PFS. UNIKGLASS+ 100/150 PARED NEGRO 6m	1	E
2371	PFS. UNIKGLASS+ 100/150 TECHO NEGRO 2m	1	E
2375	PFS. UNIKGLASS+ 100/150 TECHO NEGRO 3m	1	E
2377	PFS. UNIKGLASS+ 100/150 TECHO NEGRO 4m	1	E
2378	PFS. UNIKGLASS+ 100/150 TECHO NEGRO 6m	1	E
2390	JGO. ACC. UNIKGLASS+ 100 KSC V10-12 NEGRO	1	P
2391	JGO. ACC. UNIKGLASS+ 100 KBS V10-12 NEGRO	1	Q
2590	JGO. ACC.UNIKGLASS+ 150 KSC V12 NEGRO	1	T

ENG

UNIKGLASS+ 50 SILVER			
Ref.	Description	Units	Img.
2302	PFS. UNIKGLASS+ 50 WALL MOUNTED 2m	1	A
2303	PFS. UNIKGLASS+ 50 WALL MOUNTED 3m	1	A
2304	PFS. UNIKGLASS+ 50 WALL MOUNTED 4m	1	A
2306	PFS. UNIKGLASS+ 50 WALL MOUNTED 6m	1	A
2300	SET OF ACC.UNIKGLASS+ 50 KSC V8-10	1	F
2310	SET OF ACC.UNIKGLASS+ 50 KBS V8-10	1	G
2312	PFS. UNIKGLASS+ 50 CEILING MOUNTED 2m	1	A
2313	PFS. UNIKGLASS+ 50 CEILING MOUNTED 3m	1	A
2314	PFS. UNIKGLASS+ 50 CEILING MOUNTED 4m	1	A
2316	PFS. UNIKGLASS+ 50 CEILING MOUNTED 6m	1	A
2382	RECESSED PF. UNIKGLASS+ WITH LINTEL 2m	1	B
2383	RECESSED PF. UNIKGLASS+ WITH LINTEL 3m	1	B
2384	RECESSED PF. UNIKGLASS+ WITH LINTEL 4m	1	B
2386	RECESSED PF. UNIKGLASS+ WITH LINTEL 6m	1	B
2392	RECESSED PF. UNIKGLASS+ WITHOUT LINTEL 2m	1	C
2393	RECESSED PF. UNIKGLASS+ WITHOUT LINTEL 3m	1	C
2394	RECESSED PF. UNIKGLASS+ WITHOUT LINTEL 4m	1	C
2396	RECESSED PF. UNIKGLASS+ WITHOUT LINTEL 6m	1	C

UNIKGLASS+ 50 BRONZE			
Ref.	Description	Units	Img.
2342	PFS. UNIKGLASS+ 50 WALL MOUNTED BRONZE 2m	1	D
2343	PFS. UNIKGLASS+ 50 WALL MOUNTED BRONZE 3m	1	D
2344	PFS. UNIKGLASS+ 50 WALL MOUNTED BRONZE 4m	1	D
2346	PFS. UNIKGLASS+ 50 WALL MOUNTED BRONZE 6m	1	D
2341	PFS. UNIKGLASS+ 50 CEILING MOUNTED BRONZE 2m	1	D
2345	PFS. UNIKGLASS+ 50 CEILING MOUNTED BRONZE 3m	1	D
2347	PFS. UNIKGLASS+ 50 CEILING MOUNTED BRONZE 4m	1	D
2348	PFS. UNIKGLASS+ 50 CEILING MOUNTED BRONZE 6m	1	D
2320	SET OF ACC. UNIKGLASS+ 50 KSC V8-10 BRONZE	1	J
2340	SET OF ACC. UNIKGLASS+ 50 KBS V8-10 BRONZE	1	K

UNIKGLASS+ 50 BLACK			
Ref.	Description	Units	Img.
2352	PFS. UNIKGLASS+ 50 WALL MOUNTED BLACK 2m	1	E
2353	PFS. UNIKGLASS+ 50 WALL MOUNTED BLACK 3m	1	E
2354	PFS. UNIKGLASS+ 50 WALL MOUNTED BLACK 4m	1	E
2356	PFS. UNIKGLASS+ 50 WALL MOUNTED BLACK 6m	1	E
2351	PFS. UNIKGLASS+ 50 CEILING MOUNTED BLACK 2m	1	E
2355	PFS. UNIKGLASS+ 50 CEILING MOUNTED BLACK 3m	1	E
2357	PFS. UNIKGLASS+ 50 CEILING MOUNTED BLACK 4m	1	E
2358	PFS. UNIKGLASS+ 50 CEILING MOUNTED BLACK 6m	1	E
2330	SET OF ACC. UNIKGLASS+ 50 KSC V8-10 BLACK	1	N
2370	SET OF ACC. UNIKGLASS+ 50 KBS V8-10 BLACK	1	O

UNIKGLASS+ 100/150 SILVER			
Ref.	Description	Units	Img.
2332	PFS. UNIKGLASS+ 100/150 CEILING MOUNTED 2m	1	A
2333	PFS. UNIKGLASS+ 100/150 CEILING MOUNTED 3m	1	A
2334	PFS. UNIKGLASS+ 100/150 CEILING MOUNTED 4m	1	A
2336	PFS. UNIKGLASS+ 100/150 CEILING MOUNTED 6m	1	A
2350	SET OF ACC.UNIKGLASS+ 100 KSC V10-12	1	H
2360	SET OF ACC.UNIKGLASS+ 100 KBS V10-12	1	I
2550	SET OF ACC.UNIKGLASS+ 150 KSC V12	1	R
2322	PFS. UNIKGLASS+ 100/150 WALL MOUNTED 2m	1	A
2323	PFS. UNIKGLASS+ 100/150 WALL MOUNTED 3m	1	A
2324	PFS. UNIKGLASS+ 100/150 WALL MOUNTED 4m	1	A
2326	PFS. UNIKGLASS+ 100/150 WALL MOUNTED 6m	1	A
2382	RECESSED PF. UNIKGLASS+ WITH LINTEL 2m	1	B
2383	RECESSED PF. UNIKGLASS+ WITH LINTEL 3m	1	B
2384	RECESSED PF. UNIKGLASS+ WITH LINTEL 4m	1	B
2386	RECESSED PF. UNIKGLASS+ WITH LINTEL 6m	1	B
2392	RECESSED PF. UNIKGLASS+ WITHOUT LINTEL 2m	1	C
2393	RECESSED PF. UNIKGLASS+ WITHOUT LINTEL 3m	1	C
2394	RECESSED PF. UNIKGLASS+ WITHOUT LINTEL 4m	1	C
2396	RECESSED PF. UNIKGLASS+ WITHOUT LINTEL 6m	1	C

UNIKGLASS+ 100/150 BRONZE			
Ref.	Description	Units	Img.
2362	PFS. UNIKGLASS+ 100/150 WALL MOUNTED BRONZE 2m	1	D
2363	PFS. UNIKGLASS+ 100/150 WALL MOUNTED BRONZE 3m	1	D
2364	PFS. UNIKGLASS+ 100/150 WALL MOUNTED BRONZE 4m	1	D
2366	PFS. UNIKGLASS+ 100/150 WALL MOUNTED BRONZE 6m	1	D
2361	PFS. UNIKGLASS+ 100/150 CEILING MOUNTED BRONZE 2m	1	D
2365	PFS. UNIKGLASS+ 100/150 CEILING MOUNTED BRONZE 3m	1	D
2367	PFS. UNIKGLASS+ 100/150 CEILING MOUNTED BRONZE 4m	1	D
2368	PFS. UNIKGLASS+ 100/150 CEILING MOUNTED BRONZE 6m	1	D
2380	SET OF ACC. UNIKGLASS+ 100 KSC V10-12 BRONZE	1	L
2381	SET OF ACC. UNIKGLASS+ 100 KBS V10-12 BRONZE	1	M
2580	SET OF ACC. UNIKGLASS+ 150 KSC V12 BRONZE	1	S

UNIKGLASS+ 100/150 BLACK			
Ref.	Description	Units	Img.
2372	PFS. UNIKGLASS+ 100/150 WALL MOUNTED BLACK 2m	1	E
2373	PFS. UNIKGLASS+ 100/150 WALL MOUNTED BLACK 3m	1	E
2374	PFS. UNIKGLASS+ 100/150 WALL MOUNTED BLACK 4m	1	E
2376	PFS. UNIKGLASS+ 100/150 WALL MOUNTED BLACK 6m	1	E
2371	PFS. UNIKGLASS+ 100/150 CEILING MOUNTED BLACK 2m	1	E
2375	PFS. UNIKGLASS+ 100/150 CEILING MOUNTED BLACK 3m	1	E
2377	PFS. UNIKGLASS+ 100/150 CEILING MOUNTED BLACK 4m	1	E
2378	PFS. UNIKGLASS+ 100/150 CEILING MOUNTED BLACK 6m	1	E
2390	SET OF ACC. UNIKGLASS+ 100 KSC V10-12 BLACK	1	P
2391	SET OF ACC. UNIKGLASS+ 100 KBS V10-12 BLACK	1	Q
2590	SET OF ACC. UNIKGLASS+ 150 KSC V12 BLACK	1	T

REFERENCIAS / REFERENCES / REFERÊNCIAS / REFERÈNCIES

POR

UNIKGLASS+ 50 SILVER			
Ref.	Descrição	U.	Img.
2302	PFS. UNIKGLASS+ 50 PAREDE SILVER 2 m	1	A
2303	PFS. UNIKGLASS+ 50 PAREDE SILVER 3 m	1	A
2304	PFS. UNIKGLASS+ 50 PAREDE SILVER 4 m	1	A
2306	PFS. UNIKGLASS+ 50 PAREDE SILVER 6 m	1	A
2300	CONJUNTO ACC.UNIKGLASS+ 50 KSC V8-10 SILVER	1	F
2310	CONJUNTO ACC.UNIKGLASS+ 50 KBS V8-10 SILVER	1	G
2312	PFS. UNIKGLASS+ 50 TETO SILVER 2 m	1	A
2313	PFS. UNIKGLASS+ 50 TETO SILVER 3 m	1	A
2314	PFS. UNIKGLASS+ 50 TETO SILVER 4 m	1	A
2316	PFS. UNIKGLASS+ 50 TETO SILVER 6 m	1	A
2382	PFS. TETO FALSO UNIKGLASS+ COM DINTEL 2 m	1	B
2383	PFS. TETO FALSO UNIKGLASS+ COM DINTEL 3 m	1	B
2384	PFS. TETO FALSO UNIKGLASS+ COM DINTEL 4 m	1	B
2386	PFS. TETO FALSO UNIKGLASS+ COM DINTEL 6 m	1	B
2392	PFS. TETO FALSO UNIKGLASS+ SEM DINTEL 2 m	1	C
2393	PFS. TETO FALSO UNIKGLASS+ SEM DINTEL 3 m	1	C
2394	PFS. TETO FALSO UNIKGLASS+ SEM DINTEL 4 m	1	C
2396	PFS. TETO FALSO UNIKGLASS+ SEM DINTEL 6 m	1	C

UNIKGLASS+ 50 BRONZE			
Ref.	Descrição	U.	Img.
2342	PFS. UNIKGLASS+ 50 PAREDE BRONZE 2 m	1	D
2343	PFS. UNIKGLASS+ 50 PAREDE BRONZE 3 m	1	D
2344	PFS. UNIKGLASS+ 50 PAREDE BRONZE 4 m	1	D
2346	PFS. UNIKGLASS+ 50 PAREDE BRONZE 6 m	1	D
2341	PFS. UNIKGLASS+ 50 TETO BRONZE 2 m	1	D
2345	PFS. UNIKGLASS+ 50 TETO BRONZE 3 m	1	D
2347	PFS. UNIKGLASS+ 50 TETO BRONZE 4 m	1	D
2348	PFS. UNIKGLASS+ 50 TETO BRONZE 6 m	1	D
2320	CONJUNTO ACC. UNIKGLASS+ 50 KSC V8-10 BRONZE	1	J
2340	CONJUNTO ACC. UNIKGLASS+ 50 KBS V8-10 BRONZE	1	K

UNIKGLASS+ 50 PRETO			
Ref.	Descrição	U.	Img.
2352	PFS. UNIKGLASS+ 50 PAREDE PRETO 2 m	1	E
2353	PFS. UNIKGLASS+ 50 PAREDE PRETO 3 m	1	E
2354	PFS. UNIKGLASS+ 50 PAREDE PRETO 4 m	1	E
2356	PFS. UNIKGLASS+ 50 PAREDE PRETO 6 m	1	E
2351	PFS. UNIKGLASS+ 50 TETO PRETO 2 m	1	E
2355	PFS. UNIKGLASS+ 50 TETO PRETO 3 m	1	E
2357	PFS. UNIKGLASS+ 50 TETO PRETO 4 m	1	E
2358	PFS. UNIKGLASS+ 50 TETO PRETO 6 m	1	E
2330	CONJUNTO ACC. UNIKGLASS+ 50 KSC V8-10 PRETO	1	N
2370	CONJUNTO ACC. UNIKGLASS+ 50 KBS V8-10 PRETO	1	O

UNIKGLASS+ 100/150 SILVER			
Ref.	Descrição	U.	Img.
2332	PFS. UNIKGLASS+ 100/150 TETO SILVER 2m	1	A
2333	PFS. UNIKGLASS+ 100/150 TETO SILVER 3m	1	A
2334	PFS. UNIKGLASS+ 100/150 TETO SILVER 4m	1	A
2336	PFS. UNIKGLASS+ 100/150 TETO SILVER 6m	1	A
2350	CONJUNTO ACC.UNIKGLASS+ 100 KSC V10-12 SILVER	1	H
2360	CONJUNTO ACC.UNIKGLASS+ 100 KBS V10-12 SILVER	1	I
2550	CONJUNTO ACC.UNIKGLASS+ 150 KSC V12 SILVER	1	R
2322	PFS. UNIKGLASS+ 100/150 PAREDE SILVER 2m	1	A
2323	PFS. UNIKGLASS+ 100/150 PAREDE SILVER 3m	1	A
2324	PFS. UNIKGLASS+ 100/150 PAREDE SILVER 4m	1	A
2326	PFS. UNIKGLASS+ 100/150 PAREDE SILVER 6m	1	A
2382	PFS. TETO FALSO UNIKGLASS+ COM DINTEL 2m	1	B
2383	PFS. TETO FALSO UNIKGLASS+ COM DINTEL 3m	1	B
2384	PFS. TETO FALSO UNIKGLASS+ COM DINTEL 4m	1	B
2386	PFS. TETO FALSO UNIKGLASS+ COM DINTEL 6m	1	B
2392	PFS. TETO FALSO UNIKGLASS+ SEM DINTEL 2m	1	C
2393	PFS. TETO FALSO UNIKGLASS+ SEM DINTEL 3m	1	C
2394	PFS. TETO FALSO UNIKGLASS+ SEM DINTEL 4m	1	C
2396	PFS. TETO FALSO UNIKGLASS+ SEM DINTEL 6m	1	C

UNIKGLASS+ 100/150 BRONZE			
Ref.	Descrição	U.	Img.
2362	PFS. UNIKGLASS+ 100/150 PAREDE BRONZE 2m	1	D
2363	PFS. UNIKGLASS+ 100/150 PAREDE BRONZE 3m	1	D
2364	PFS. UNIKGLASS+ 100/150 PAREDE BRONZE 4m	1	D
2366	PFS. UNIKGLASS+ 100/150 PAREDE BRONZE 6m	1	D
2361	PFS. UNIKGLASS+ 100/150 TETO BRONZE 2m	1	D
2365	PFS. UNIKGLASS+ 100/150 TETO BRONZE 3m	1	D
2367	PFS. UNIKGLASS+ 100/150 TETO BRONZE 4m	1	D
2368	PFS. UNIKGLASS+ 100/150 TETO BRONZE 6m	1	D
2380	CONJUNTO ACC. UNIKGLASS+ 100 KSC V10-12 BRONZE	1	L
2381	CONJUNTO ACC. UNIKGLASS+ 100 KBS V10-12 BRONZE	1	M
2580	CONJUNTO ACC. UNIKGLASS+ 150 KSC V12 BRONZE	1	S

UNIKGLASS+ 100/150 PRETO			
Ref.	Descrição	U.	Img.
2372	PFS. UNIKGLASS+ 100/150 PAREDE PRETO 2m	1	E
2373	PFS. UNIKGLASS+ 100/150 PAREDE PRETO 3m	1	E
2374	PFS. UNIKGLASS+ 100/150 PAREDE PRETO 4m	1	E
2376	PFS. UNIKGLASS+ 100/150 PAREDE PRETO 6m	1	E
2371	PFS. UNIKGLASS+ 100/150 TETO PRETO 2m	1	E
2375	PFS. UNIKGLASS+ 100/150 TETO PRETO 3m	1	E
2377	PFS. UNIKGLASS+ 100/150 TETO PRETO 4m	1	E
2378	PFS. UNIKGLASS+ 100/150 TETO PRETO 6m	1	E
2390	CONJUNTO ACC. UNIKGLASS+ 100 KSC V10-12 PRETO	1	P
2391	CONJUNTO ACC. UNIKGLASS+ 100 KBS V10-12 PRETO	1	Q
2590	CONJUNTO ACC. UNIKGLASS+ 150 KSC V12 PRETO	1	T

CAT

UNIKGLASS+ 50 SILVER			
Ref.	Descripció	U.	Img.
2302	PFS. UNIKGLASS+ 50 PARET SILVER 2m	1	A
2303	PFS. UNIKGLASS+ 50 PARET SILVER 3m	1	A
2304	PFS. UNIKGLASS+ 50 PARET SILVER 4m	1	A
2306	PFS. UNIKGLASS+ 50 PARET SILVER 6m	1	A
2300	JOC ACC.UNIKGLASS+ 50 KSC V8-10 SILVER	1	F
2310	JOC ACC.UNIKGLASS+ 50 KBS V8-10 SILVER	1	G
2312	PFS. UNIKGLASS+ 50 SOSTRE SILVER 2m	1	A
2313	PFS. UNIKGLASS+ 50 SOSTRE SILVER 3m	1	A
2314	PFS. UNIKGLASS+ 50 SOSTRE SILVER 4m	1	A
2316	PFS. UNIKGLASS+ 50 SOSTRE SILVER 6m	1	A
2382	PFS. FALS SOSTRE UNIKGLASS+ AMB LLINDA 2m	1	B
2383	PFS. FALS SOSTRE UNIKGLASS+ AMB LLINDA 3m	1	B
2384	PFS. FALS SOSTRE UNIKGLASS+ AMB LLINDA 4m	1	B
2386	PFS. FALS SOSTRE UNIKGLASS+ AMB LLINDA 6m	1	B
2392	PFS. FALS SOSTRE UNIKGLASS+ SENSE LLINDA 2m	1	C
2393	PFS. FALS SOSTRE UNIKGLASS+ SENSE LLINDA 3m	1	C
2394	PFS. FALS SOSTRE UNIKGLASS+ SENSE LLINDA 4m	1	C
2396	PFS. FALS SOSTRE UNIKGLASS+ SENSE LLINDA 6m	1	C



UNIKGLASS+ 50 BRONZE			
Ref.	Descripció	U.	Img.
2342	PFS. UNIKGLASS+ 50 PARET BRONZE 2m	1	D
2343	PFS. UNIKGLASS+ 50 PARET BRONZE 3m	1	D
2344	PFS. UNIKGLASS+ 50 PARET BRONZE 4m	1	D
2346	PFS. UNIKGLASS+ 50 PARET BRONZE 6m	1	D
2341	PFS. UNIKGLASS+ 50 SOSTRE BRONZE 2m	1	D
2345	PFS. UNIKGLASS+ 50 SOSTRE BRONZE 3m	1	D
2347	PFS. UNIKGLASS+ 50 SOSTRE BRONZE 4m	1	D
2348	PFS. UNIKGLASS+ 50 SOSTRE BRONZE 6m	1	D
2320	JOC ACC. UNIKGLASS+ 50 KSC V8-10 BRONZE	1	J
2340	JOC ACC. UNIKGLASS+ 50 KBS V8-10 BRONZE	1	K


UNIKGLASS+ 50 NEGRE			
Ref.	Descripció	U.	Img.
2352	PFS. UNIKGLASS+ 50 PARET NEGRE 2m	1	E
2353	PFS. UNIKGLASS+ 50 PARET NEGRE 3m	1	E
2354	PFS. UNIKGLASS+ 50 PARET NEGRE 4m	1	E
2356	PFS. UNIKGLASS+ 50 PARET NEGRE 6m	1	E
2351	PFS. UNIKGLASS+ 50 SOSTRE NEGRE 2m	1	E
2355	PFS. UNIKGLASS+ 50 SOSTRE NEGRE 3m	1	E
2357	PFS. UNIKGLASS+ 50 SOSTRE NEGRE 4m	1	E
2358	PFS. UNIKGLASS+ 50 SOSTRE NEGRE 6m	1	E
2330	JOC ACC. UNIKGLASS+ 50 KSC V8-10 NEGRE	1	N
2370	JOC ACC. UNIKGLASS+ 50 KBS V8-10 NEGRE	1	O

UNIKGLASS+ 100/150 SILVER			
Ref.	Descripció	U.	Img.
2332	PFS. UNIKGLASS+ 100/150 SOSTRE SILVER 2m	1	A
2333	PFS. UNIKGLASS+ 100/150 SOSTRE SILVER 3m	1	A
2334	PFS. UNIKGLASS+ 100/150 SOSTRE SILVER 4m	1	A
2336	PFS. UNIKGLASS+ 100/150 SOSTRE SILVER 6m	1	A
2350	JOC ACC.UNIKGLASS+ 100 KSC V10-12 SILVER	1	H
2360	JOC ACC.UNIKGLASS+ 100 KBS V10-12 SILVER	1	I
2550	JOC ACC.UNIKGLASS+ 150 KSC V12 SILVER	1	R
2322	PFS. UNIKGLASS+ 100/150 PARET SILVER 2m	1	A
2323	PFS. UNIKGLASS+ 100/150 PARET SILVER 3m	1	A
2324	PFS. UNIKGLASS+ 100/150 PARET SILVER 4m	1	A
2326	PFS. UNIKGLASS+ 100/150 PARET SILVER 6m	1	A
2382	PFS. FALS SOSTRE UNIKGLASS+ AMB LLINDA 2m	1	B
2383	PFS. FALS SOSTRE UNIKGLASS+ AMB LLINDA 3m	1	B
2384	PFS. FALS SOSTRE UNIKGLASS+ AMB LLINDA 4m	1	B
2386	PFS. FALS SOSTRE UNIKGLASS+ AMB LLINDA 6m	1	B
2392	PFS. FALS SOSTRE UNIKGLASS+ SENSE LLINDA 2m	1	C
2393	PFS. FALS SOSTRE UNIKGLASS+ SENSE LLINDA 3m	1	C
2394	PFS. FALS SOSTRE UNIKGLASS+ SENSE LLINDA 4m	1	C
2396	PFS. FALS SOSTRE UNIKGLASS+ SENSE LLINDA 6m	1	C

UNIKGLASS+ 100/150 BRONZE			
Ref.	Descripció	U.	Img.
2362	PFS. UNIKGLASS+ 100/150 PARET BRONZE 2m	1	D
2363	PFS. UNIKGLASS+ 100/150 PARET BRONZE 3m	1	D
2364	PFS. UNIKGLASS+ 100/150 PARET BRONZE 4m	1	D
2366	PFS. UNIKGLASS+ 100/150 PARET BRONZE 6m	1	D
2361	PFS. UNIKGLASS+ 100/150 SOSTRE BRONZE 2m	1	D
2365	PFS. UNIKGLASS+ 100/150 SOSTRE BRONZE 3m	1	D
2367	PFS. UNIKGLASS+ 100/150 SOSTRE BRONZE 4m	1	D
2368	PFS. UNIKGLASS+ 100/150 SOSTRE BRONZE 6m	1	D
2380	JOC ACC. UNIKGLASS+ 100 KSC V10-12 BRONZE	1	L
2381	JOC ACC. UNIKGLASS+ 100 KBS V10-12 BRONZE	1	M
2580	JOC ACC. UNIKGLASS+ 150 KSC V12 BRONZE	1	S

UNIKGLASS+ 100/150 NEGRE			
Ref.	Descripció	U.	Img.
2372	PFS. UNIKGLASS+ 100/150 PARET NEGRE 2m	1	E
2373	PFS. UNIKGLASS+ 100/150 PARET NEGRE 3m	1	E
2374	PFS. UNIKGLASS+ 100/150 PARET NEGRE 4m	1	E
2376	PFS. UNIKGLASS+ 100/150 PARET NEGRE 6m	1	E
2371	PFS. UNIKGLASS+ 100/150 SOSTRE NEGRE 2m	1	E
2375	PFS. UNIKGLASS+ 100/150 SOSTRE NEGRE 3m	1	E
2377	PFS. UNIKGLASS+ 100/150 SOSTRE NEGRE 4m	1	E
2378	PFS. UNIKGLASS+ 100/150 SOSTRE NEGRE 6m	1	E
2390	JOC ACC. UNIKGLASS+ 100 KSC V10-12 NEGRE	1	P
2391	JOC ACC. UNIKGLASS+ 100 KBS V10-12 NEGRE	1	Q
2590	JOC ACC. UNIKGLASS+ 150 KSC V12 NEGRE	1	T





KLEIN®

KLEIN EUROPE
Edificio KLEIN
Polígono Industrial Can Cuyás
N-150 Km. 1
08110 Montcada i Reixac
Barcelona (Spain)

Tel.: +34 935 760 101
Fax: +34 935 760 109

+Info
klein@klein.es
www.klein.es

Síguenos en redes
Follow us on social media

